MA3203 - Exercise sheet 11

- 1. Let Λ be a ring and let $f : M \to N$ and $g : N \to L$ be essential epimorphisms of Λ -modules. Show that $g \circ f : M \to L$ is an essential epimorphism.
- 2. [1, Exercise III.9ab] Find the radical and the top of each of the following representations of the quiver $1 \xrightarrow{} 2 \xrightarrow{} 3$.

(a)
$$k \xrightarrow{1} k \xrightarrow{0} k$$

(b) $k \xrightarrow{0} k \xrightarrow{1} k$
(c) $k \xrightarrow{1} k \xrightarrow{1} k$

- 3. Let Λ be a left artinian ring, let $f: M \to N$ be an essential epimorphism between finitely generated modules, and let $h: M \to M$ be a morphism such that $f \circ h = f$. Show that h is an isomorphism.
- 4. Let Λ be a ring. We say that Λ is *local* if it has a unique maximal left ideal. Show that the following are equivalent
 - (a) Λ is local
 - (b) The top of Λ is simple;
 - (c) The non-invertible elements of Λ form an ideal;
 - (d) Λ has a unique maximal right ideal.

References

 M. Auslander, I. Reiten, and S. O. Smalø, Representation Theory of Artin Algebras, Cambridge Stud. Adv. Math. 36, Cambridge Univ. Press (1995).