



Kontinuerlege fordelingar

Torstein Fjeldstad

Institutt for matematiske fag, NTNU

14.02.2019

I dag



- Normalfordelinga
- Normal tilnærming til binomisk fordeling
- Eksponentialfordelinga

Normalfordelinga I

Definisjon

Sannsynstettleiken til ein normalfordelt stokastisk variabel X med forventningsverdi μ og varians σ^2 er

$$f(x; \mu, \sigma) = n(x; \mu, \sigma) = \frac{1}{\sqrt{2\pi}\sigma} e^{-\frac{1}{2\sigma^2}(x-\mu)^2} \quad -\infty < x < \infty.$$

Standard normalfordelinga

Fordelinga til ein normalfordelt stokastisk variabel med forventningsverdi 0 og varians 1 vert kalla standard normalfordelinga.

Normalfordelinga II



Egenskapar til $n(x; \mu, \sigma)$

1. Mode for $x = \mu$
2. Kurva er symmetrisk om $x = \mu$
3. Kurva har vendepunkt for $x = \mu \pm \sigma$: den er konkav ned for $\mu - \sigma < x < \mu + \sigma$ og konkav opp elles
4. $\lim_{x \rightarrow \pm\infty} n(x; \mu, \sigma) = 0$
5. Arealet under kurva er 1

Normalfordelinga III



Eksempel tysdag (IQ)

La X = "IQ til ein tilfeldig valgt person".

Anta X er normalfordelt med $\mu = 100$ og $\sigma = 16$.

Normalfordelinga IV

Standard normalfordeling

$$\Phi(z) = P(Z \leq z)$$

<i>z</i>	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0	5000	5040	5080	5120	5160	5199	5239	5279	5319	5359
1	5398	5438	5478	5517	5557	5596	5636	5675	5714	5753
2	5793	5832	5871	5910	5948	5987	6026	6064	6103	6141
3	6179	6217	6255	6293	6331	6368	6406	6443	6480	6517
4	6554	6591	6628	6664	6700	6736	6772	6808	6844	6879
5	6915	6950	6985	7019	7054	7088	7123	7157	7190	7224
6	7257	7291	7324	7357	7389	7422	7454	7486	7517	7549
7	7580	7611	7642	7673	7704	7734	7764	7794	7823	7852
8	7881	7910	7939	7967	7995	8023	8051	8078	8106	8133
9	8159	8186	8212	8238	8264	8289	8315	8340	8365	8389
10	8413	8438	8461	8485	8508	8531	8554	8577	8599	8621
11	8643	8665	8686	8708	8729	8749	8770	8790	8810	8830
12	8849	8869	8888	8907	8925	8944	8962	8980	8997	9015
13	9032	9049	9066	9082	9099	9115	9131	9147	9162	9177
14	9192	9207	9222	9236	9251	9265	9279	9292	9306	9319
15	9332	9345	9357	9370	9382	9394	9406	9418	9429	9441
16	9452	9463	9474	9484	9495	9505	9515	9525	9535	9545
17	9554	9564	9573	9582	9591	9599	9608	9616	9625	9633
18	9641	9649	9656	9664	9671	9678	9686	9693	9699	9706
19	9713	9719	9726	9732	9738	9744	9750	9756	9761	9767
20	9772	9778	9783	9788	9793	9798	9803	9808	9812	9817
21	9821	9826	9830	9834	9838	9842	9846	9850	9854	9857
22	9861	9864	9868	9871	9875	9878	9881	9884	9887	9890
23	9893	9896	9898	9901	9904	9906	9909	9911	9913	9916
24	9918	9920	9922	9925	9927	9929	9931	9932	9934	9936
25	9938	9940	9941	9943	9945	9946	9948	9949	9951	9952
26	9953	9955	9956	9957	9959	9960	9961	9962	9963	9964
27	9965	9966	9967	9968	9969	9970	9971	9972	9973	9974
28	9974	9975	9976	9977	9977	9978	9979	9979	9980	9981
29	9981	9982	9982	9983	9984	9984	9985	9985	9986	9986
30	9987	9987	9987	9988	9988	9989	9989	9989	9990	9990
31	9990	9991	9991	9991	9992	9992	9992	9992	9993	9993
32	9993	9993	9994	9994	9994	9994	9994	9995	9995	9995
33	9995	9995	9995	9996	9996	9996	9996	9996	9996	9997
34	9997	9997	9997	9997	9997	9997	9997	9997	9997	9998
35	9998	9998	9998	9998	9998	9998	9998	9998	9998	9998
36	9998	9998	9999	9999	9999	9999	9999	9999	9999	9999
37	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999

Normalfordelinga V

Standard normalfordeling

$$\Phi(z) = P(Z \leq z)$$

<i>z</i>	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
-3.7	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001
-3.6	.0002	.0002	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001
-3.5	.0002	.0002	.0002	.0002	.0002	.0002	.0002	.0002	.0002	.0002
-3.4	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0002
-3.3	.0005	.0005	.0005	.0004	.0004	.0004	.0004	.0004	.0004	.0003
-3.2	.0007	.0007	.0006	.0006	.0006	.0006	.0006	.0005	.0005	.0005
-3.1	.0010	.0009	.0009	.0009	.0008	.0008	.0008	.0008	.0007	.0007
-3.0	.0013	.0013	.0013	.0012	.0012	.0011	.0011	.0011	.0010	.0010
-2.9	.0019	.0018	.0018	.0017	.0016	.0016	.0015	.0015	.0014	.0014
-2.8	.0026	.0025	.0024	.0023	.0023	.0022	.0021	.0021	.0020	.0019
-2.7	.0035	.0034	.0033	.0032	.0031	.0030	.0029	.0028	.0027	.0026
-2.6	.0047	.0045	.0044	.0043	.0041	.0040	.0039	.0038	.0037	.0036
-2.5	.0062	.0060	.0059	.0057	.0055	.0054	.0052	.0051	.0049	.0048
-2.4	.0082	.0080	.0078	.0075	.0073	.0071	.0069	.0068	.0066	.0064
-2.3	.0107	.0104	.0102	.0099	.0096	.0094	.0091	.0089	.0087	.0084
-2.2	.0139	.0136	.0132	.0129	.0125	.0122	.0119	.0116	.0113	.0110
-2.1	.0179	.0174	.0170	.0166	.0162	.0158	.0154	.0150	.0146	.0143
-2.0	.0228	.0222	.0217	.0212	.0207	.0202	.0197	.0192	.0188	.0183
-1.9	.0287	.0281	.0274	.0268	.0262	.0256	.0250	.0244	.0239	.0233
-1.8	.0359	.0351	.0344	.0336	.0329	.0322	.0314	.0307	.0301	.0294
-1.7	.0446	.0436	.0427	.0418	.0409	.0401	.0392	.0384	.0375	.0367
-1.6	.0548	.0537	.0526	.0516	.0505	.0495	.0485	.0475	.0465	.0455
-1.5	.0668	.0655	.0643	.0630	.0618	.0606	.0594	.0582	.0571	.0559
-1.4	.0808	.0793	.0778	.0764	.0749	.0735	.0721	.0708	.0694	.0681
-1.3	.0968	.0951	.0934	.0918	.0901	.0885	.0869	.0853	.0838	.0823
-1.2	.1151	.1131	.1112	.1093	.1075	.1056	.1038	.1020	.1003	.0985
-1.1	.1357	.1335	.1314	.1292	.1271	.1251	.1230	.1210	.1190	.1170
-1.0	.1587	.1562	.1539	.1515	.1492	.1469	.1446	.1423	.1401	.1379
-.9	.1841	.1814	.1788	.1762	.1736	.1711	.1685	.1660	.1635	.1611
-.8	.2119	.2090	.2061	.2033	.2005	.1977	.1949	.1922	.1894	.1867
-.7	.2420	.2389	.2358	.2327	.2296	.2266	.2236	.2206	.2177	.2148
-.6	.2743	.2709	.2676	.2643	.2611	.2578	.2546	.2514	.2483	.2451
-.5	.3085	.3050	.3013	.2981	.2946	.2912	.2877	.2843	.2810	.2776
-.4	.3446	.3409	.3372	.3336	.3300	.3264	.3228	.3192	.3156	.3121
-.3	.3821	.3783	.3745	.3707	.3669	.3632	.3594	.3557	.3520	.3483
-.2	.4207	.4168	.4129	.4090	.4052	.4013	.3974	.3936	.3897	.3859
-.1	.4602	.4562	.4522	.4483	.4443	.4404	.4364	.4325	.4286	.4247
-.0	.5000	.4960	.4920	.4880	.4840	.4801	.4761	.4721	.4681	.4641


Normalfordelinga VI

Kritiske verdier i standard normalfordelingen

$$P(Z > z_\alpha) = \alpha$$

α	z_α
.2	0.842
.15	1.036
.1	1.282
.075	1.440
.05	1.645
.04	1.751
.03	1.881
.025	1.960
.02	2.054
.01	2.326
.005	2.576
.001	3.090
.0005	3.291
.0001	3.719
.00005	3.891
.00001	4.265
.000005	4.417
.000001	4.753

Normalapproksimasjon til binomisk fordeling I



Normalapproksimasjon til binomisk fordeling II

Teorem 6.3

Viss X er ein binomisk stokastisk variabel med forventning np og varians $np(1 - p)$ så vil den stokastiske variabelen

$$Z = \frac{X - np}{\sqrt{np(1 - p)}}$$

når $n \rightarrow \infty$ vere tilnærma standard normalfordelt.

Tommelfingerregel: "må" ha $np \geq 5$ og $np(1 - p) \geq 5$

Eksponentialfordelinga I

Definisjon

Sannsynstettleiken til ein eksponentialfordelt stokastisk variabel med parameter β er

$$f(x; \beta) = \begin{cases} \frac{1}{\beta} e^{-x/\beta} & x > 0 \\ 0 & \text{ellers} \end{cases}.$$

Eksponentialfordelinga er ofte parametrisert med $\lambda = 1/\beta$.

Forventningsverdi og varians

Forventningsverdien og variansen til ein kontinuerleg eksponentialfordelt stokastisk variabel X er

$$E(X) = \beta \quad \text{Var}(X) = \beta^2.$$

Eksponentialfordelinga II



Anvending


Eksponentialfordelinga blir ofte brukt som fordelinga til første hending i ein Poisson-prosess med intensitet λ .

Ingen hukommelse

Eksponentialfordelinga er so kalla "utan hukommelse", dvs. at

$$P(X > x + h | X > x) = P(X > h)$$

for $h > 0$.



Gammafordelinga

Definisjon

Sannsynstettleiken til ein gammafordelt stokastisk variabel med parameter α og β er

$$f(x; \alpha, \beta) = \begin{cases} \frac{1}{\beta^\alpha \Gamma(\alpha)} x^{\alpha-1} e^{-x/\beta} & x > 0 \\ 0 & \text{ellers} \end{cases}.$$

Forventningsverdi og varians

Forventningsverdien og variansen til ein kontinuerleg gammafordelt stokastisk variabel X er

$$E(X) = \alpha\beta \quad \text{Var}(X) = \alpha\beta^2.$$




Figure: $\beta = 2$




Figure: $\alpha = 2$

Neste veke



- Ordningsvariable
- Transformasjonsformelen